Index of Authors

AAGNES, T. H., BLIX, A. S. and MATHIESEN, S. D. Food intake, digestibility and rumen fermentation in reindeer fed baled timothy silage in summer and winter, 517

ADAM, C. L., HEMINGWAY, R. G. and RITCHIE, N. S. Influence of manufacturing conditions on the bioavailability of magnesium in calcined magnesites measured *in vivo* and *in vitro*, 377

AGRICULTURAL RESEARCH MODELLERS' GROUP, Proceedings of the Twenty-Eighth Meeting of the Agricultural Research Modellers' Group, 131

AKAMIGBO, F. O. R. *see* ASADU, C. L. A.

AL-HANAI, S. S. S. *see* AL-NAKIB, F. M. S.

ALLISON, M. F., ARMSTRONG, M. J., JAGGARD, K. W., TODD, A. D. and MILFORD, G. F. J. An analysis of the agronomic, economic and environmental effects of applying N fertilizer to sugarbeet (*Beta vulgaris*), 475

ALLOWAY, B. J. *see* HOODA, P. S.

AL-NABHANI, S. A. M. *see* AL-NAKIB, F. M. S.

AL-NAKIB, F. M. S., AL-SHUKAILY, E. S. S., AL-HANAI, S. S. S. and AL-NABHANI, S. A. M. Comparative performance of Omani goats and sheep, 117

AL-SHUKAILY, E. S. S. *see* AL-NAKIB, F. M. S.

ALTIMIMI, M. A. K. *see* WILMAN, D.

ARMSTRONG, M. J. *see* ALLISON, M. F.

AROEIRA, L. J. M. *see* DIJKSTRA, J.

ARRANZ, J. J., BAYÓN, Y. and SAN PRIMITIVO, F. Genetic variation at five microsatellite loci in four breeds of cattle, 533

ARTHUR, A. E. *see* FRAY, M. J.

ASADU, C. L. A., AKAMIGBO, F. O. R., NWEKE, F. I. and EZUMAH, H. C. Evaluation of six cultivars of white yam (*Dioscorea rotundata*) across three yam-growing areas in southeastern Nigeria, 463

ASSIS, A. G. *see* DIJKSTRA, J.

AWAN, M. H., BARKER, D. J., KEMP, P. D. and CHOUDHARY, M. A. Soil surface moisture measurement and its influence on the establishment of three oversown legume species, 169

BALLESTEROS, R. *see* CARRERES, R.

BARKER, D. J. *see* AWAN, M. H.

BARRY, T. N. *see* KUSMARTONO, WANG, Y.

BATTS, G. R., WHEELER, T. R., MORISON, J. I. L., ELLIS, R. H. and HADLEY, P. Developmental and tillering responses of winter wheat (*Triticum aestivum*) crops to CO_2 and temperature, 23

BATTS, G. R. *see also* WHEELER, T. R.

BAYÓN, Y. *see* ARRANZ, J. J.

BENZ, J. S., KELLER, E. R. and MIDMORE, D. J. Planting materials for warm tropic potato production: production and field performance of nursery-produced tubers, 67

BEZDENEZHNYKH, V. A. *see* MARKOVSKAYA, E. F.

BLIX, A. S. *see* AAGNES, T. H.

BORBA, A. E. S. *see* GONÇALVES, L. M. B. O.

BRADBURY, N. J. *see* GLENDINING, M. J.

BULBULE, A. V., TALASHILKAR, S. C. and SAVANT, N. K. Integrated rice straw–urea management for transplanted rice, 49

CAMPOS, O. F. *see* DIJKSTRA, J.

CARRERES, R., GONZÁLEZ TOMÉ, R., SENDRA, J., BALLESTEROS, R., FERNÁNDEZ VALIENTE, E., QUESADA, A., NIEVA, M. and LEGANÉS, F. Effect of nitrogen rates on rice growth and biological nitrogen fixation, 295

CHAUHAN, Y. S., JOHANSEN, C. and GUPTA, S. C. Assessment of rationability of short-duration pigeonpea genotypes, 331

CHENG, S. H., SI, H. M., ZHUO, L. S. and SUN, Z. X. Classification of environmentally induced genetic male sterile lines of rice based on their fertility responses to photoperiod and temperature, 161

CHESSON, A. *see* TRAVIS, A. J.

CHOUDHARY, M. A. *see* AWAN, M. H.

CRAUFURD, P. Q. Effect of plant population density on dry matter partitioning and yield in a short-duration cultivar of cowpea (*Vigna unguiculata*) grown in the tropics, 89

CUTTLE, S. P., HALLARD, M., GILL, E. K. and SCURLOCK, R. V. Nitrate leaching from sheep-grazed upland pastures in Wales, 365

DARDILLAT, C. *see* LEMOSQUET, S.

DAVID, O., KEMPTON, R. A. and NEVISON, I. M. Designs for controlling interplot competition in variety trials, 285

DAY, J. M. *see* SHIELD, I.

DE DATTA, S. K. *see* SENANAYAKE, N.

DEWES, T. Effect of pH, temperature, amount of litter and storage density on ammonia emissions from stable manure, 501

DIJKSTRA, J., FRANCE, J., ASSIS, A. G., NEAL, H. D. ST. C., CAMPOS, O. F. and AROEIRA, L. J. M. Simulation of digestion in cattle fed sugarcane: prediction of nutrient supply for milk production with locally available supplements, 247

DIJKSTRA, J., FRANCE, J., NEAL, H. D. ST. C., ASSIS, A. G., AROEIRA, L. J. M. and CAMPOS, O. F. Simulation of digestion in cattle fed sugarcane: model development, 231

DULPHY, J. P. *see* LEMOSQUET, S.

EDWARDS, G. R., NEWMAN, J. A., PARSONS, A. J. and KREBS, J. R. Effects of the total, vertical and horizontal availability of the food resource on diet selection and intake of sheep, 555

ELLIS, R. H. *see* BATTS, G. R., WHEELER, T. R.

EVANS, E. J. *see* FRAY, M. J.

EZUMAH, H. C. *see* ASADU, C. L. A.

FERNÁNDEZ VALIENTE, E. *see* CARRERES, R.

FRANCE, J. *see* DIJKSTRA, J.
FRAY, M. J., EVANS, E. J., LYDIATE, D. J. and ARTHUR, A. E. Physiological assessment of apetalous flowers and erectophile pods in oilseed rape (*Brassica napus*), 193

GAO, Y. *see* WILMAN, D.
GILL, E. K. *see* CUTTLE, S. P.
GLENDINING, M. J., POWLSON, D. S., POULTON, P. R., BRADBURY, N. J., PALAZZO, D. and LI, X. The effects of long-term applications of inorganic nitrogen fertilizer on soil nitrogen in the Broadbalk Wheat Experiment, 347
GOETSCH, B. C. *see* O'REAGAIN, P. J.
GONÇALVES, L. M. B. O. and BORBA, A. E. S. Study of gas production capacity by three sources of inocula, 511
GONZÁLEZ TOMÉ, R. *see* CARRERES, R.
GOULI-VAVDINOUDI, E. *see* SOTIRIOU, A.
GUPTA, S. C. *see* CHAUHAN, Y. S.

HADLEY, P. *see* BATTS, G. R., WHEELER, T. R.
HALLARD, M. *see* CUTTLE, S. P.
HARZIC, N. and HUYGHE, C. Dwarfism does not modify mean area per leaf and light interception in indeterminate autumn-sown white lupin, 337
HEBBLETHWAITE, P. D. *see* KANTAR, F.
HEDLEY, M. J. *see* WANG, Y.
HEMINGWAY, R. G. *see* ADAM, C. L.
HIRST, D. J. *see* TRAVIS, A. J.
HOODA, P. S. and ALLOWAY, B. J. The effect of liming on heavy metal concentrations in wheat, carrots and spinach grown on previously sludge-applied soils, 289
HORIIKE, M. *see* OWUSU, E. O.
HUYGHE, C. *see* HARZIC, N.

JAGGARD, K. W. *see* ALLISON, M. F.
JAILLER, M. *see* LEMOSQUET, S.
JOHANSEN, C. *see* CHAUHAN, Y. S.

KANTAR, F., HEBBLETHWAITE, P. D. and PILBEAM, C. J. Factors influencing disease resistance in high and low tannin *Vicia faba*, 83
KELLER, E. R. *see* BENZ, J. S.
KEMP, P. D. *see* AWAN, M. H., KUSMARTONO
KEMPTON, R. A. *see* DAVID, O.
KNOTT, C. M. Control of manganese deficiency in field peas grown for seed or human consumption, 207
KOUTSIKA-SOTIRIOU, M. *see* SOTIRIOU, A.
KREBS, J. R. *see* EDWARDS, G. R.
KUSMARTONO, BARRY, T. N., WILSON, P. R., KEMP, P. D. and STAFFORD, K. J. Effects of grazing chicory (*Cichorium intybus*) and perennial ryegrass (*Lolium perenne*)/white clover (*Trifolium repens*) pasture upon the growth and voluntary feed intake of red and hybrid deer during lactation and post-weaning growth, 387
KUSMARTONO, SHIMADA, A., STAFFORD, K. J. and BARRY, T. N. Intra-ruminal particle size reduction in deer fed fresh perennial ryegrass (*Lolium perenne*) or chicory (*Cichorium intybus*), 525

LAUGHLIN, R. J. *see* STEVENS, R. J.
LEACH, J. E. *see* SHIELD, I.
LEGANÉS, F. *see* CARRERES, R.
LEMOSQUET, S., DARDILLAT, C., JAILLER, M. and DULPHY, J. P. Voluntary intake and gastric digestion of two hays by llamas and sheep: influence of concentrate supplementation, 539
LI, X. *see* GLENDINING, M. J.
LORD, E. I. *see* SHEPHERD, M. A.
LYDIATE, D. J. *see* FRAY, M. J.

MCNABB, W. C. *see* WANG, Y.
MARKOVSKAYA, E. F., SYSOYEVA, M. I. and BEZDENEZHNYKH, V. A. Thermoperiodicity of crop plants and strategies for climate control, 425
MARTÍNEZ, J., VIDAL, D. and SIMÓN, E. Nitrogenase activity, nodulation and seed production in *Vicia faba* as affected by methabenzthiazuron, 319
MATHIESEN, S. D. *see* AAGNES, T. H.
MIDMORE, D. J. *see* BENZ, J. S.
MILFORD, G. F. J. *see* ALLISON, M. F., SHIELD, I.
MOORE, K. L. *see* WILSON, W. S.
MORA, O., SHIMADA, A. and RUIZ, F. J. The effect of the length and severity of feed restriction on weight, carcass measurements and body composition of goats, 549
MORGAN, D. G. *see* SRINIVASAN, ANCHA
MORISON, J. I. L. *see* BATTS, G. R., WHEELER, T. R.
MURISON, S. D. *see* TRAVIS, A. J.

NAYLOR, R. E. L. *see* SENANAYAKE, N.
NEAL, H. D. ST. C. *see* DIJKSTRA, J.
NEVISON, I. M. *see* DAVID, O.
NEWMAN, J. A. *see* EDWARDS, G. R.
NIEVA, M. *see* CARRERES, R.
NWEKE, F. I. *see* ASADU, C. L. A.

O'REAGAIN, P. J., GOETSCH, B. C. and OWEN-SMITH, R. N. Effect of species composition and sward structure on the ingestive behaviour of cattle and sheep grazing South African sourveld, 271
O'REAGAIN, P. J. and OWEN-SMITH, R. N. Effect of species composition and sward structure on dietary quality in cattle and sheep grazing South African sourveld, 261
OWEN-SMITH, R. N. *see* O'REAGAIN, P. J.
OWUSU, E. O. and HORIIKE, M. Some properties of 1-chloro-2,4-dinitrochlorobenzene linked glutathione S-transferase in dichlorvos resistant and susceptible strains of cotton aphid (Homoptera: Aphididae), 469

PALAZZO, D. *see* GLENDINING, M. J.
PARSONS, A. J. *see* EDWARDS, G. R.
PETERS, M. *see* TARAWALI, S. A.
PETERSEN, J. Fertilization of spring barley by combination of pig slurry and mineral nitrogen fertilizer, 151
PILBEAM, C. J. *see* KANTAR, F.
POULTON, P. R. *see* GLENDINING, M. J.
POWLSON, D. S. *see* GLENDINING, M. J.

QUESADA, A. *see* CARRERES, R.

RAVINDRAN, G. *see* RAVINDRAN, V.
RAVINDRAN, V., RAVINDRAN, G. and SIVAKANESAN, R. Evaluation of the nutritive value of jackseed (*Artocarpus heterophyllus*) meal for poultry, 123
RICHARDS, I. R., WALLACE, P. A. and TURNER, I. D. S. A comparison of six cover crop types in terms of nitrogen uptake and effect on response to nitrogen by a subsequent spring barley crop, 441

RITCHIE, N. S. *see* ADAM, C. L.
ROCHFORD, A. D. *see* WILSON, W. S.
RUIZ, F. J. *see* MORA, O.

SAMMI REDDY, K. *see* SUBBA RAO, A.
SAN PRIMITIVO, F. *see* ARRANZ, J. J.
SAVANT, N. K. *see* BULBULE, A. V.
SCOTT, T. *see* SHIELD, I.
SCURLOCK, R. V. *see* CUTTLE, S. P.
SENANAYAKE, N., NAYLOR, R. E. L. and DE DATTA, S. K. Effect of nitrogen fertilization on rice spikelet differentiation and survival, 303
SENDRA, J. *see* CARRERES, R.
SESAY, A. and YARMAH, A. Growth, yield performance and market quality of groundnut (*Arachis hypogaea*) as affected by cropping season in southern Sierra Leone, 201
SHELTON, I. D. *see* WANG, Y.
SHEPHERD, M. A. and LORD, E. I. Nitrate leaching from a sandy soil: the effect of previous crop and post-harvest soil management in an arable rotation, 215
SHERLOCK, R. R. *see* SOMMER, S. G.
SHIELD, I., STEVENSON, H. J., LEACH, J. E., SCOTT, T., DAY, J. M. and MILFORD, G. F. J. Effects of sowing date and planting density on the structure and yield of autumn-sown, florally-determinate white lupins (*Lupinus albus*) in the United Kingdom, 183
SHIMADA, A. *see* KUSMARTONO, MORA, O.
SI, H. M. *see* CHENG, S. H.
SIMÓN, E. *see* MARTÍNEZ, J.
SINGH, M. *see* SONI, M. L.
SIVAKANESAN, R. *see* RAVINDRAN, V.
SOMMER, S. G. and SHERLOCK, R. R. pH and buffer component dynamics in the surface layers of animal slurries, 109
SONI, M. L., SWARUP, A. and SINGH, M. Influence of rates and methods of manganese application on yield and nutrition of wheat in a reclaimed sodic soil, 433
SOTIRIOU, A., KOUTSIKA-SOTIRIOU, M. and GOULI-VAVDINOUDI, E. The effect of honeycomb selection for grain yield on a maize population, 143
SPOELSTRA, S. F. *see* VAN OS, M.
SRINIVASAN, ANCHA and MORGAN, D. G. Growth and development of the pod wall in spring rape (*Brassica napus*) as related to the presence of seeds and exogenous phytohormones, 487
STAFFORD, K. J. *see* KUSMARTONO,
STEEN, R. W. J. Effects of protein supplementation of grass silage on the performance and carcass quality of beef cattle, 403
STEVENS, R. J. and LAUGHLIN, R. J. Effects of lime and nitrogen fertilizer on two sward types over a 10-year period, 451
STEVENSON, H. J. *see* SHIELD, I.
SUBBA RAO, A., SAMMI REDDY, K. and TAKKAR, P. N. Residual effects of phosphorus applied to soyabean or wheat in a soyabean–wheat cropping system on a typic haplustert, 325
SUN, Z. X. *see* CHENG, S. H.
SWARUP, A. *see* SONI, M. L.
SYSOYEVA, M. I. *see* MARKOVSKAYA, E. F.

TAKKAR, P. N. *see* SUBBA RAO, A.
TALASHILKAR, S. C. *see* BULBULE, A. V.
TARAWALI, S. A. and PETERS, M. The potential contribution of selected forage legume pastures to cereal production in crop–livestock farming systems, 175
TODD, A. D. *see* ALLISON, M. F.
TRAVIS, A. J., MURISON, S. D., HIRST, D. J., WALKER, K. C. and CHESSON, A. Comparison of the anatomy and degradability of straw from varieties of wheat and barley that differ in susceptibility to lodging, 1
TURNER, I. D. S. *see* RICHARDS, I. R.

VAIDYANATHAN, L. V. *see* WILSON, W. S.
VAN OS, M., VAN WIKSELAAR, P. G. and SPOELSTRA, S. F. Formation of biogenic amines in well fermented grass silages, 97
VAN WIKSELAAR, P. G. *see* VAN OS, M.
VIDAL, D. *see* MARTÍNEZ, J.

WAGHORN, G. C. *see* WANG, Y.
WALKER, K. C. *see* TRAVIS, A. J.
WALLACE, P. A. *see* RICHARDS, I. R.
WANG, Y., WAGHORN, G. C., MCNABB, W. C., BARRY, T. N., HEDLEY, M. J. and SHELTON, I. D. Effect of condensed tannins in *Lotus corniculatus* upon the digestion of methionine and cysteine in the small intestine of sheep, 413
WHEELER, T. R., BATTS, G. R., ELLIS, R. H., HADLEY, P. and MORISON, J. I. L. Growth and yield of winter wheat (*Triticum aestivum*) crops in response to CO_2 and temperature, 37
WHEELER, T. R. *see also* BATTS, G. R.
WILMAN, D. and GAO, Y. Herbage production and tiller density in five related grasses, their hybrids and mixtures, 57
WILMAN, D., GAO, Y. and ALTIMIMI, M. A. K. Differences between related grasses, times of year and plant parts in digestibility and chemical composition, 311
WILSON, P. R. *see* KUSMARTONO
WILSON, W. S., MOORE, K. L., ROCHFORD, A. D. and VAIDYANATHAN, L. V. Fertilizer nitrogen addition to winter wheat crops in England: comparison of farm practices with recommendations allowing for soil nitrogen supply, 11

YARMAH, A. *see* SESAY, A.

ZHUO, L. S. *see* CHENG, S. H.

Index of Subjects

Amino acids
Effect of condensed tannins in *Lotus corniculatus* upon the digestion of methionine and cysteine in the small intestine of sheep (Wang *et al.*), 413

Ammonia emission
Effect of pH, temperature, amount of litter and storage density on ammonia emissions from stable manure (Dewes), 501

Aphids
Some properties of 1-chloro-2,4-dinitrochlorobenzene linked glutathione S-transferase in dichlorvos resistant and susceptible strains of cotton aphid (Homoptera: Aphididae) (Owusu and Horiike), 469

Arachis
Growth, yield performance and market quality of groundnut (*Arachis hypogaea*) as affected by cropping season in southern Sierra Leone (Sesay and Yarmah), 201

Artocarpus
Evaluation of the nutritive value of jackseed (*Artocarpus heterophyllus*) meal for poultry (Ravindran *et al.*), 123

Barley
Comparison of the anatomy and degradability of straw from varieties of wheat and barley that differ in susceptibility to lodging (Travis *et al.*), 1
Fertilization of spring barley by combination of pig slurry and mineral nitrogen fertilizer (Petersen), 151
A comparison of six cover crop types in terms of nitrogen uptake and effect on response to nitrogen by a subsequent spring barley crop (Richards *et al.*), 441

***Brassica* crops**
Physiological assessment of apetalous flowers and erectophile pods in oilseed rape (*Brassica napus*) (Fray *et al.*), 193
Growth and development of the pod wall in spring rape (*Brassica napus*) as related to the presence of seeds and exogenous phytohormones (Srinivasan and Morgan), 487

Breeding
The effect of honeycomb selection for grain yield on a maize population (Sotiriou *et al.*), 143
Classification of environmentally induced genetic male sterile lines of rice based on their fertility responses to photoperiod and temperature (Cheng *et al.*), 161
Designs for controlling interplot competition in variety trials (David *et al.*), 285
Assessment of rationability of short-duration pigeonpea genotypes (Chauhan *et al.*), 331
Evaluation of six cultivars of white yam (*Dioscorea rotundata*) across three yam-growing areas in south-eastern Nigeria (Asadu *et al.*), 463

Cajanus
Assessment of rationability of short-duration pigeonpea genotypes (Chauhan *et al.*), 331

Carbon dioxide
Developmental and tillering responses of winter wheat (*Triticum aestivum*) crops to CO_2 and temperature (Batts *et al.*), 23
Growth and yield of winter wheat (*Triticum aestivum*) crops in response to CO_2 and temperature (Wheeler *et al.*), 37

Cattle
Simulation of digestion in cattle fed sugarcane: model development (Dijkstra *et al.*), 231
Simulation of digestion in cattle fed sugarcane: prediction of nutrient supply for milk production with locally available supplements (Dijkstra *et al.*), 247
Effect of species composition and sward structure on dietary quality in cattle and sheep grazing South African sourveld (O'Reagain and Owen-Smith), 261
Effect of species composition and sward structure on the ingestive behaviour of cattle and sheep grazing South African sourveld (O'Reagain *et al.*), 271
Effects of protein supplementation of grass silage on the performance and carcass quality of beef cattle (Steen), 403
Genetic variation at five microsatellite loci in four breeds of cattle (Arranz *et al.*), 533

Cereals
Comparison of the anatomy and degradability of straw from varieties of wheat and barley that differ in susceptibility to lodging (Travis *et al.*), 1
The potential contribution of selected forage legume pastures to cereal production in crop–livestock farming systems (Tarawali and Peters), 175

Chicory, *see Cichorium*

Cichorium
Effects of grazing chicory (*Cichorium intybus*) and perennial ryegrass (*Lolium perenne*)/white clover (*Trifolium repens*) pasture upon the growth and voluntary feed intake of red and hybrid deer during lactation and post-weaning growth (Kusmartono *et al.*), 387
Intra-ruminal particle size reduction in deer fed fresh perennial ryegrass (*Lolium perenne*) or chicory (*Cichorium intybus*) (Kusmartono *et al.*), 525

Cotton, *see Gossypium*

Cowpea, *see Vigna*

Crops
Designs for controlling interplot competition in variety trials (David *et al.*), 285
The effect of liming on heavy metal concentrations in wheat, carrots and spinach grown on previously sludge-applied soils (Hooda and Alloway), 289

Thermoperiodicity of crop plants and strategies for climate control (Markovskaya *et al.*), 425

Deer
Effects of grazing chicory (*Cichorium intybus*) and perennial ryegrass (*Lolium perenne*)/white clover (*Trifolium repens*) pasture upon the growth and voluntary feed intake of red and hybrid deer during lactation and post-weaning growth (Kusmartono *et al.*), 387
Food intake, digestibility and rumen fermentation in reindeer fed baled timothy silage in summer and winter (Aagnes *et al.*), 517
Intra-ruminal particle size reduction in deer fed fresh perennial ryegrass (*Lolium perenne*) or chicory (*Cichorium intybus*) (Kusmartono *et al.*), 525

Diets
Evaluation of the nutritive value of jackseed (*Artocarpus heterophyllus*) meal for poultry (Ravindran *et al.*), 123
Simulation of digestion in cattle fed sugarcane: model development (Dijkstra *et al.*), 231
Simulation of digestion in cattle fed sugarcane: prediction of nutrient supply for milk production with locally available supplements (Dijkstra *et al.*), 247
Differences between related grasses, times of year and plant parts in digestibility and chemical composition (Wilman *et al.*), 311
Influence of manufacturing conditions on the bioavailability of magnesium in calcined magnesites measured *in vivo* and *in vitro* (Adam *et al.*), 377
Effects of grazing chicory (*Cichorium intybus*) and perennial ryegrass (*Lolium perenne*)/white clover (*Trifolium repens*) pasture upon the growth and voluntary feed intake of red and hybrid deer during lactation and post-weaning growth (Kusmartono *et al.*), 387
Effect of condensed tannins in *Lotus corniculatus* upon the digestion of methionine and cysteine in the small intestine of sheep (Wang *et al.*), 413
Food intake, digestibility and rumen fermentation in reindeer fed baled timothy silage in summer and winter (Aagnes *et al.*), 517
Intra-ruminal particle size reduction in deer fed fresh perennial ryegrass (*Lolium perenne*) or chicory (*Cichorium intybus*) (Kusmartono *et al.*), 525
Voluntary intake and gastric digestion of two hays by llamas and sheep: influence of concentrate supplementation (Lemosquet *et al.*), 539
Effects of the total, vertical and horizontal availability of the food resource on diet selection and intake of sheep (Edwards *et al.*), 555

Digestibility
Differences between related grasses, times of year and plant parts in digestibility and chemical composition (Wilman *et al.*), 311
Food intake, digestibility and rumen fermentation in reindeer fed baled timothy silage in summer and winter (Aagnes *et al.*), 517

Digestion
Effect of condensed tannins in *Lotus corniculatus* upon the digestion of methionine and cysteine in the small intestine of sheep (Wang *et al.*), 413
Intra-ruminal particle size reduction in deer fed fresh perennial ryegrass (*Lolium perenne*) or chicory (*Cichorium intybus*) (Kusmartono *et al.*), 525

Dioscorea
Evaluation of six cultivars of white yam (*Dioscorea rotundata*) across three yam-growing areas in south-eastern Nigeria (Asadu *et al.*), 463

Faba bean, *see Vicia faba*

Feed intake
Effects of grazing chicory (*Cichorium intybus*) and perennial ryegrass (*Lolium perenne*)/white clover (*Trifolium repens*) pasture upon the growth and voluntary feed intake of red and hybrid deer during lactation and post-weaning growth (Kusmartono *et al.*), 387
Food intake, digestibility and rumen fermentation in reindeer fed baled timothy silage in summer and winter (Aagnes *et al.*), 517
Voluntary intake and gastric digestion of two hays by llamas and sheep: influence of concentrate supplementation (Lemosquet *et al.*), 539
The effect of the length and severity of feed restriction on weight, carcass measurements and body composition of goats (Mora *et al.*), 549
Effects of the total, vertical and horizontal availability of the food resource on diet selection and intake of sheep (Edwards *et al.*), 555

Feeding behaviour
Effect of species composition and sward structure on the ingestive behaviour of cattle and sheep grazing South African sourveld (O'Reagain *et al.*), 271
Effects of the total, vertical and horizontal availability of the food resource on diet selection and intake of sheep (Edwards *et al.*), 555

Fermentation
Formation of biogenic amines in well fermented grass silages (van Os *et al.*), 97

Flowers
Physiological assessment of apetalous flowers and erectophile pods in oilseed rape (*Brassica napus*) (Fray *et al.*), 193

Forage
The potential contribution of selected forage legume pastures to cereal production in crop–livestock farming systems (Tarawali and Peters), 175

Gas production
Study of gas production capacity by three sources of inocula (Gonçalves and Borba), 511

Genetics
Classification of environmentally induced genetic male sterile lines of rice based on their fertility responses to photoperiod and temperature (Cheng *et al.*), 161
Genetic variation at five microsatellite loci in four breeds of cattle (Arranz *et al.*), 533

Glycine
Residual effects of phosphorus applied to soyabean or wheat in a soyabean–wheat cropping system on a typic haplustert (Subba Rao *et al.*), 325

Goats
Comparative performance of Omani goats and sheep (Al-Nakib *et al.*), 117

The effect of the length and severity of feed restriction on weight, carcass measurements and body composition of goats (Mora *et al.*), 549

Gossypium

Some properties of 1-chloro-2,4-dinitrochlorobenzene linked glutathione S-transferase in dichlorvos resistant and susceptible strains of cotton aphid (Homoptera: Aphididae) (Owusu and Horiike), 469

Grasses

Herbage production and tiller density in five related grasses, their hybrids and mixtures (Wilman and Gao), 57

Formation of biogenic amines in well fermented grass silages (van Os *et al.*), 97

Differences between related grasses, times of year and plant parts in digestibility and chemical composition (Wilman *et al.*), 311

Effects of lime and nitrogen fertilizer on two sward types over a 10-year period (Stevens and Laughlin), 451

Grazing

Effect of species composition and sward structure on dietary quality in cattle and sheep grazing South African sourveld (O'Reagain and Owen-Smith), 261

Effect of species composition and sward structure on the ingestive behaviour of cattle and sheep grazing South African sourveld (O'Reagain *et al.*), 271

Nitrate leaching from sheep-grazed upland pastures in Wales (Cuttle *et al.*), 365

Groundnut, *see Arachis*

Growth stages

Developmental and tillering responses of winter wheat (*Triticum aestivum*) crops to CO_2 and temperature (Batts *et al.*), 23

Growth and yield of winter wheat (*Triticum aestivum*) crops in response to CO_2 and temperature (Wheeler *et al.*), 37

Effect of nitrogen fertilization on rice spikelet differentiation and survival (Senanayake *et al.*), 303

Growth and development of the pod wall in spring rape (*Brassica napus*) as related to the presence of seeds and exogenous phytohormones (Srinivasan and Morgan), 487

Hay

Voluntary intake and gastric digestion of two hays by llamas and sheep: influence of concentrate supplementation (Lemosquet *et al.*), 539

Herbage

Herbage production and tiller density in five related grasses, their hybrids and mixtures (Wilman and Gao), 57

Herbicide

Nitrogenase activity, nodulation and seed production in *Vicia faba* as affected by methabenzthiazuron (Martínez *et al.*), 319

Hybrids

Herbage production and tiller density in five related grasses, their hybrids and mixtures (Wilman and Gao), 57

Jackseed, *see Artocarpus*

Leaching

Nitrate leaching from a sandy soil: the effect of previous crop and post-harvest soil management in an arable rotation (Shepherd and Lord), 215

Nitrate leaching from sheep-grazed upland pastures in Wales (Cuttle *et al.*), 365

Leaf area

Dwarfism does not modify mean area per leaf and light interception in indeterminate autumn-sown white lupin (Harzic and Huyghe), 337

Legumes

Soil surface moisture measurement and its influence on the establishment of three oversown legume species (Awan *et al.*), 169

The potential contribution of selected forage legume pastures to cereal production in crop–livestock farming systems (Tarawali and Peters), 175

Light interception

Dwarfism does not modify mean area per leaf and light interception in indeterminate autumn-sown white lupin (Harzic and Huyghe), 337

Lime

The effect of liming on heavy metal concentrations in wheat, carrots and spinach grown on previously sludge-applied soils (Hooda and Alloway), 289

Effects of lime and nitrogen fertilizer on two sward types over a 10-year period (Stevens and Laughlin), 451

Llamas

Voluntary intake and gastric digestion of two hays by llamas and sheep: influence of concentrate supplementation (Lemosquet *et al.*), 539

Lodging

Comparison of the anatomy and degradability of straw from varieties of wheat and barley that differ in susceptibility to lodging (Travis *et al.*), 1

Lolium

Effects of grazing chicory (*Cichorium intybus*) and perennial ryegrass (*Lolium perenne*)/white clover (*Trifolium repens*) pasture upon the growth and voluntary feed intake of red and hybrid deer during lactation and post-weaning growth (Kusmartono *et al.*), 387

Intra-ruminal particle size reduction in deer fed fresh perennial ryegrass (*Lolium perenne*) or chicory (*Cichorium intybus*) (Kusmartono *et al.*), 525

Lotus

Effect of condensed tannins in *Lotus corniculatus* upon the digestion of methionine and cysteine in the small intestine of sheep (Wang *et al.*), 413

Lupin, *see Lupinus*

Lupinus

Effects of sowing date and planting density on the structure and yield of autumn-sown, florally-determinate white lupins (*Lupinus albus*) in the United Kingdom (Shield *et al.*), 183

Dwarfism does not modify mean area per leaf and light interception in indeterminate autumn-sown white lupin (Harzic and Huyghe), 337

Magnesium
Influence of manufacturing conditions on the bioavailability of magnesium in calcined magnesites measured *in vivo* and *in vitro* (Adam *et al.*), 377
Maize
The effect of honeycomb selection for grain yield on a maize population (Sotiriou *et al.*), 143
Manganese
Control of manganese deficiency in field peas grown for seed or human consumption (Knott), 207
Influence of rates and methods of manganese application on yield and nutrition of wheat in a reclaimed sodic soil (Soni *et al.*), 433
Meat production
Effects of protein supplementation of grass silage on the performance and carcass quality of beef cattle (Steen), 403
Milk production
Simulation of digestion in cattle fed sugarcane: prediction of nutrient supply for milk production with locally available supplements (Dijkstra *et al.*), 247
Minerals
The effect of liming on heavy metal concentrations in wheat, carrots and spinach grown on previously sludge-applied soils (Hooda and Alloway), 289
Mixed pastures
The potential contribution of selected forage legume pastures to cereal production in crop–livestock farming systems (Tarawali and Peters), 175
Effects of grazing chicory (*Cichorium intybus*) and perennial ryegrass (*Lolium perenne*)/white clover (*Trifolium repens*) pasture upon the growth and voluntary feed intake of red and hybrid deer during lactation and post-weaning growth (Kusmartono *et al.*), 387
Models
pH and buffer component dynamics in the surface layers of animal slurries (Sommer and Sherlock), 109
Proceedings of the Twenty-Eighth Meeting of the Agricultural Research Modellers' Group (Agricultural Research Modellers' Group), 131
Simulation of digestion in cattle fed sugarcane: model development (Dijkstra *et al.*), 231
Simulation of digestion in cattle fed sugarcane: prediction of nutrient supply for milk production with locally available supplements (Dijkstra *et al.*), 247
Thermoperiodicity of crop plants and strategies for climate control (Markovskaya *et al.*), 425

Nitrogen
Fertilizer nitrogen addition to winter wheat crops in England: comparison of farm practices with recommendations allowing for soil nitrogen supply (Wilson *et al.*), 11
Nitrate leaching from a sandy soil: the effect of previous crop and post-harvest soil management in an arable rotation (Shepherd and Lord), 215
Nitrogenase activity, nodulation and seed production in *Vicia faba* as affected by methabenzthiazuron (Martínez *et al.*), 319
Nitrate leaching from sheep-grazed upland pastures in Wales (Cuttle *et al.*), 365
A comparison of six cover crop types in terms of nitrogen uptake and effect on response to nitrogen by a subsequent spring barley crop (Richards *et al.*), 441
Nitrogen fertilizers
Fertilizer nitrogen addition to winter wheat crops in England: comparison of farm practices with recommendations allowing for soil nitrogen supply (Wilson *et al.*), 11
Integrated rice straw–urea management for transplanted rice (Bulbule *et al.*), 49
Fertilization of spring barley by combination of pig slurry and mineral nitrogen fertilizer (Petersen), 151
Effect of nitrogen rates on rice growth and biological nitrogen fixation (Carreres *et al.*), 295
Effect of nitrogen fertilization on rice spikelet differentiation and survival (Senanayake *et al.*), 303
The effects of long-term applications of inorganic nitrogen fertilizer on soil nitrogen in the Broadbalk Wheat Experiment (Glendining *et al.*), 347
Effects of lime and nitrogen fertilizer on two sward types over a 10-year period (Stevens and Laughlin), 451
An analysis of the agronomic, economic and environmental effects of applying N fertilizer to sugarbeet (*Beta vulgaris*) (Allison *et al.*), 475
Nitrogen fixation
Effect of nitrogen rates on rice growth and biological nitrogen fixation (Carreres *et al.*), 295

Oilseed rape, *see Brassica* crops

Pastures
Effect of species composition and sward structure on dietary quality in cattle and sheep grazing South African sourveld (O'Reagain and Owen-Smith), 261
Effect of species composition and sward structure on the ingestive behaviour of cattle and sheep grazing South African sourveld (O'Reagain *et al.*), 271
Nitrate leaching from sheep-grazed upland pastures in Wales (Cuttle *et al.*), 365
Pea, *see Pisum*
Perennial ryegrass, *see Lolium*
Pests and diseases
Factors influencing disease resistance in high and low tannin *Vicia faba* (Kantar *et al.*), 83
Some properties of 1-chloro-2,4-dinitrochlorobenzene linked glutathione S-transferase in dichlorvos resistant and susceptible strains of cotton aphid (Homoptera: Aphididae) (Owusu and Horiike), 469
Phosphorus
Residual effects of phosphorus applied to soyabean or wheat in a soyabean–wheat cropping system on a typic haplustert (Subba Rao *et al.*), 325
Photoperiod
Classification of environmentally induced genetic male sterile lines of rice based on their fertility responses to photoperiod and temperature (Cheng *et al.*), 161
Pigeonpea, *see Cajanus*
Pisum
Control of manganese deficiency in field peas grown for seed or human consumption (Knott), 207

Plant population density
Effect of plant population density on dry matter partitioning and yield in a short-duration cultivar of cowpea (*Vigna unguiculata*) grown in the tropics (Craufurd), 89
Effects of sowing date and planting density on the structure and yield of autumn-sown, florally-determinate white lupins (*Lupinus albus*) in the United Kingdom (Shield *et al.*), 183

Pods
Physiological assessment of apetalous flowers and erectophile pods in oilseed rape (*Brassica napus*) (Fray *et al.*), 193
Growth and development of the pod wall in spring rape (*Brassica napus*) as related to the presence of seeds and exogenous phytohormones (Srinivasan and Morgan), 487

Potato
Planting materials for warm tropic potato production: production and field performance of nursery-produced tubers (Benz *et al.*), 67

Poultry
Evaluation of the nutritive value of jackseed (*Artocarpus heterophyllus*) meal for poultry (Ravindran *et al.*), 123

Quality
Effects of protein supplementation of grass silage on the performance and carcass quality of beef cattle (Steen), 403

Rice
Integrated rice straw–urea management for transplanted rice (Bulbule *et al.*), 49
Classification of environmentally induced genetic male sterile lines of rice based on their fertility responses to photoperiod and temperature (Cheng *et al.*), 161
Effect of nitrogen rates on rice growth and biological nitrogen fixation (Carreres *et al.*), 295
Effect of nitrogen fertilization on rice spikelet differentiation and survival (Senanayake *et al.*), 303

Seeds
Nitrogenase activity, nodulation and seed production in *Vicia faba* as affected by methabenzthiazuron (Martínez *et al.*), 319
Growth and development of the pod wall in spring rape (*Brassica napus*) as related to the presence of seeds and exogenous phytohormones (Srinivasan and Morgan), 487

Sequential cropping
Nitrate leaching from a sandy soil: the effect of previous crop and post-harvest soil management in an arable rotation (Shepherd and Lord), 215
Residual effects of phosphorus applied to soyabean or wheat in a soyabean–wheat cropping system on a typic haplustert (Subba Rao *et al.*), 325
A comparison of six cover crop types in terms of nitrogen uptake and effect on response to nitrogen by a subsequent spring barley crop (Richards *et al.*), 441

Sheep
Comparative performance of Omani goats and sheep (Al-Nakib *et al.*), 117
Effect of species composition and sward structure on dietary quality in cattle and sheep grazing South African sourveld (O'Reagain and Owen-Smith), 261
Effect of species composition and sward structure on the ingestive behaviour of cattle and sheep grazing South African sourveld (O'Reagain *et al.*), 271
Effect of condensed tannins in *Lotus corniculatus* upon the digestion of methionine and cysteine in the small intestine of sheep (Wang *et al.*), 413
Voluntary intake and gastric digestion of two hays by llamas and sheep: influence of concentrate supplementation (Lemosquet *et al.*), 539
Effects of the total, vertical and horizontal availability of the food resource on diet selection and intake of sheep (Edwards *et al.*), 555

Silage
Formation of biogenic amines in well fermented grass silages (van Os *et al.*), 97
Effects of protein supplementation of grass silage on the performance and carcass quality of beef cattle (Steen), 403
Food intake, digestibility and rumen fermentation in reindeer fed baled timothy silage in summer and winter (Aagnes *et al.*), 517

Slurries
pH and buffer component dynamics in the surface layers of animal slurries (Sommer and Sherlock), 109
Fertilization of spring barley by combination of pig slurry and mineral nitrogen fertilizer (Petersen), 151
The effect of liming on heavy metal concentrations in wheat, carrots and spinach grown on previously sludge-applied soils (Hooda and Alloway), 289
Effect of pH, temperature, amount of litter and storage density on ammonia emissions from stable manure (Dewes), 501

Soils
Fertilizer nitrogen addition to winter wheat crops in England: comparison of farm practices with recommendations allowing for soil nitrogen supply (Wilson *et al.*), 11
Soil surface moisture measurement and its influence on the establishment of three oversown legume species (Awan *et al.*), 169
Control of manganese deficiency in field peas grown for seed or human consumption (Knott), 207
Nitrate leaching from a sandy soil: the effect of previous crop and post-harvest soil management in an arable rotation (Shepherd and Lord), 215
The effect of liming on heavy metal concentrations in wheat, carrots and spinach grown on previously sludge-applied soils (Hooda and Alloway), 289
The effects of long-term applications of inorganic nitrogen fertilizer on soil nitrogen in the Broadbalk Wheat Experiment (Glendining *et al.*), 347
Nitrate leaching from sheep-grazed upland pastures in Wales (Cuttle *et al.*), 365
Influence of rates and methods of manganese application

on yield and nutrition of wheat in a reclaimed sodic soil (Soni *et al.*), 433

Sowing date
Effects of sowing date and planting density on the structure and yield of autumn-sown, florally-determinate white lupins (*Lupinus albus*) in the United Kingdom (Shield *et al.*), 183

Soyabean, *see Glycine*

Spring rape, *see Brassica* crops

Statistical analysis
Designs for controlling interplot competition in variety trials (David *et al.*), 285

Straw
Comparison of the anatomy and degradability of straw from varieties of wheat and barley that differ in susceptibility to lodging (Travis *et al.*), 1
Integrated rice straw–urea management for transplanted rice (Bulbule *et al.*), 49
Effect of pH, temperature, amount of litter and storage density on ammonia emissions from stable manure (Dewes), 501

Sugarbeet
An analysis of the agronomic, economic and environmental effects of applying N fertilizer to sugarbeet (*Beta vulgaris*) (Allison *et al.*), 475

Sugarcane
Simulation of digestion in cattle fed sugarcane: model development (Dijkstra *et al.*), 231
Simulation of digestion in cattle fed sugarcane: prediction of nutrient supply for milk production with locally available supplements (Dijkstra *et al.*), 247

Tannins
Factors influencing disease resistance in high and low tannin *Vicia faba* (Kantar *et al.*), 83
Effect of condensed tannins in *Lotus corniculatus* upon the digestion of methionine and cysteine in the small intestine of sheep (Wang *et al.*), 413

Techniques
The effect of honeycomb selection for grain yield on a maize population (Sotiriou *et al.*), 143
Genetic variation at five microsatellite loci in four breeds of cattle (Arranz *et al.*), 533

Temperature
Developmental and tillering responses of winter wheat (*Triticum aestivum*) crops to CO_2 and temperature (Batts *et al.*), 23
Growth and yield of winter wheat (*Triticum aestivum*) crops in response to CO_2 and temperature (Wheeler *et al.*), 37
Classification of environmentally induced genetic male sterile lines of rice based on their fertility responses to photoperiod and temperature (Cheng *et al.*), 161
Thermoperiodicity of crop plants and strategies for climate control (Markovskaya *et al.*), 425
Effect of pH, temperature, amount of litter and storage density on ammonia emissions from stable manure (Dewes), 501

Trifolium
Effects of grazing chicory (*Cichorium intybus*) and perennial ryegrass (*Lolium perenne*)/white clover (*Trifolium repens*) pasture upon the growth and voluntary feed intake of red and hybrid deer during lactation and post-weaning growth (Kusmartono *et al.*), 387

Tropics
Planting materials for warm tropic potato production: production and field performance of nursery-produced tubers (Benz *et al.*), 67
Effect of plant population density on dry matter partitioning and yield in a short-duration cultivar of cowpea (*Vigna unguiculata*) grown in the tropics (Craufurd), 89
Comparative performance of Omani goats and sheep (Al-Nakib *et al.*), 117
Growth, yield performance and market quality of groundnut (*Arachis hypogaea*) as affected by cropping season in southern Sierra Leone (Sesay and Yarmah), 201
Evaluation of six cultivars of white yam (*Dioscorea rotundata*) across three yam-growing areas in south-eastern Nigeria (Asadu *et al.*), 463

Urea
Integrated rice straw–urea management for transplanted rice (Bulbule *et al.*), 49

Vicia faba
Factors influencing disease resistance in high and low tannin *Vicia faba* (Kantar *et al.*), 83
Nitrogenase activity, nodulation and seed production in *Vicia faba* as affected by methabenzthiazuron (Martínez *et al.*), 319

Vigna
Effect of plant population density on dry matter partitioning and yield in a short-duration cultivar of cowpea (*Vigna unguiculata*) grown in the tropics (Craufurd), 89

Water use
Soil surface moisture measurement and its influence on the establishment of three oversown legume species (Awan *et al.*), 169

Wheat
Comparison of the anatomy and degradability of straw from varieties of wheat and barley that differ in susceptibility to lodging (Travis *et al.*), 1
Fertilizer nitrogen addition to winter wheat crops in England: comparison of farm practices with recommendations allowing for soil nitrogen supply (Wilson *et al.*), 11
Developmental and tillering responses of winter wheat (*Triticum aestivum*) crops to CO_2 and temperature (Batts *et al.*), 23
Growth and yield of winter wheat (*Triticum aestivum*) crops in response to CO_2 and temperature (Wheeler *et al.*), 37
Residual effects of phosphorus applied to soyabean or wheat in a soyabean–wheat cropping system on a typic haplustert (Subba Rao *et al.*), 325
The effects of long-term applications of inorganic nitrogen fertilizer on soil nitrogen in the Broadbalk Wheat Experiment (Glendining *et al.*), 347

Influence of rates and methods of manganese application on yield and nutrition of wheat in a reclaimed sodic soil (Soni *et al.*), 433

White clover, *see Trifolium*

Yam, *see Dioscorea*

Yields

Growth and yield of winter wheat (*Triticum aestivum*) crops in response to CO_2 and temperature (Wheeler *et al.*), 37

Planting materials for warm tropic potato production: production and field performance of nursery-produced tubers (Benz *et al.*), 67

Effect of plant population density on dry matter partitioning and yield in a short-duration cultivar of cowpea (*Vigna unguiculata*) grown in the tropics (Craufurd), 89

Effects of sowing date and planting density on the structure and yield of autumn-sown, florally-determinate white lupins (*Lupinus albus*) in the United Kingdom (Shield *et al.*), 183

Growth, yield performance and market quality of groundnut (*Arachis hypogaea*) as affected by cropping season in southern Sierra Leone (Sesay and Yarmah), 201

Influence of rates and methods of manganese application on yield and nutrition of wheat in a reclaimed sodic soil (Soni *et al.*), 433